

Ecosystemen voor waterstof: van slakkengang naar sprint!

Jörg Gigler



7 april 2022

New eMMergy Congres: succesvolle energietransitie - verbinding van de keten






















Source: IRENA Renewable Cost Database and Auctions Database.












Bron: Gasunie



Bron: Hydron Energy



Bron: De Ingenieur



Bron: Holthausen



WAARSCHUWING



Verbodten het gebruik van open vuur, roken of het gebruik van elektrische apparaten in de buurt van de tank. Het is niet toegestaan om de tank te openen of te repareren. Het is niet toegestaan om de tank te vullen met andere gasen.

700 BAR

Resatu HIGH PRESSURE TECHNOLOGY



energystock

5000 m³ water gas storage





Waterstof



ISO
2020

OPWEKKE
VAN DUURZAME
STROOM

WATERSTOF
LIFT OVERTUIGDE
DUURZAME
STROOM

5 TON
WATERSTOF
5 MINUTEN
LADEN
500 KM
RIJDEN

Waterstof

Waterstof

Waterstof

Waterstof

Waterstof





Nedstack
Model: 6000
Power: 1.8 kW
Voltage: 48V to 475 VDC
Current: 37.5 A



WARNING
DO NOT OPEN WHEN ENERGIZED
WARRANTY VOID IF NOT OPENED
BY QUALIFIED PERSONNEL
RESIDUAL VOLTAGE MAY BE PRESENT
ON THE FAN TERMINAL

WARNING
DO NOT OPEN WHEN ENERGIZED
WARRANTY VOID IF NOT OPENED
BY QUALIFIED PERSONNEL
RESIDUAL VOLTAGE MAY BE PRESENT
ON THE FAN TERMINAL





Bron: Port of Rotterdam



Bron: New Energy Coalition





Bron: Ecorunner











TKI NIEUW GAS
Topsector Energie

**Hartelijk dank
voor uw aandacht**

